

huø

Getting to know your huø®

Technical data



Properties and components



**Durable
black limba**



Stainless steel



**Protective
rubber feet**



**Adjustable grill
clearance**



**Regulated
air supply**



**Lightweight
aluminium**

Specifications

Dimensions of the huø® foodsharing module

| D 1200 x H 1076

Weight of the huø® foodsharing module

| approx. 90 kg

Table top

| Heat-treated,
FSC-labelled black limba

Ring below the table top

| Powder-coated aluminium

Guard ring

| Stainless steel

Rack

| Stainless steel

Handle for rack

| Stainless steel & black limba

Brazier

| Stainless steel

Dimensions of the huø® stools

| D 310 x H 795

Weight of the huø® stools

| approx. 3,5 kg

Stool seat

| Heat-treated,
FSC-labelled black limba

Stool legs

| Metallised, powder-coated steel

Table legs

| Powder-coated aluminium

Protective feet


| Rubber

Ring through table legs


| Metallised, powder-coated steel



Structure of your huø® foodsharing module and brazier



Structure of the brazier and huø[®] fire basket




Positioning the rack

For standard usage,
the rack sits in the brazier.



To help regulate the temperature
during cooking, the rack can be
positioned higher up by inserting the
legs into the holes provided.



Positioning the guard ring

The guard ring protects the wood from fire damage. It sits loosely in the opening around the brazier.



Position 1

Ring on the table with
the rack at the bottom




Position 2


Ring on the table with
the rack at the top

Adjusting the rack


Use the handle to move
the rack when hot.



Step 1




Step 2



Step 3


Structure of the huø® foodsharing module with huø® ice bucket



Structure of the huø® stools



Assembling your huø®



Step 1

1. Spread a towel on the ground to protect the wood.
2. Place the table face-down on the ground.



Step 2

Screw the M10 bolts included (4 per leg) into the holes to attach the table legs. Repeat until all table legs are secure.

Assembling your huø®



Step 3

Lower the metal ring down between the table legs until it rests on the support.



Step 4

Secure the metal ring with the M8 bolts included (1 per table leg).


Assembling your huø®



Step 5

Turn the table upright and lower the brazier into its hole from above.

The brazier fits perfectly into the recesses in the three table supports.



Assembling your huø®



Step 6

Finally, fit the huø® cover plate into the table top.



All done! Your huø® foodsharing furniture is ready for use.
Enjoy! To dismantle your huø®, just follow these steps in reverse.



huø

www.huø-moments.be | info@huø-moments.be